

according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 1 of 9

### 1. Identification

### **Product identifier**

**DINITROL ML Spray** 

# Recommended use of the chemical and restrictions on use

## Use of the substance/mixture

Anti-corrosive coating

### Uses advised against

No further relevant information available.

### Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH
Street: Pyrmonter Strasse 76
Place: D-32676 Luegde
Telephone: + 49 (0) 5281 982980

e-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

**Supplier** 

Company name: DINOL U.S. Inc.

Street: 8500 Cotter Street, Lewis Center

Place: USA-43035 Ohio

Telephone: 740-548-1656 Telefax: 740-548-1657

e-mail: info@dinolus.com Internet: www.dinol.com

**Emergency phone number:** 3E Company Emergency +1-866-404-4230

## 2. Hazard(s) identification

#### Classification of the chemical

# 29 CFR Part 1910.1200

Flammable aerosols: Flam. Aerosol 1 Gases under pressure: Compressed gas

Aspiration hazard: Asp. Tox. 1

Respiratory or skin sensitization: Skin Sens. 1

Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

## **Label elements**

# 29 CFR Part 1910.1200

Signal word: Danger

Pictograms:









Telefax: + 49 (0) 5281 9829860

#### **Hazard statements**

Extremely flammable aerosol

Contains gas under pressure; may explode if heated

May be fatal if swallowed and enters airways

May cause an allergic skin reaction May cause drowsiness or dizziness



according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 2 of 9

### **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Hazards not otherwise classified

No information available

### 3. Composition/information on ingredients

#### **Mixtures**

### **Hazardous components**

CAS No	Components	Quantity
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	59.5 %
61789-86-4	calcium sulfonate	3.5 %

#### **Further Information**

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

# 4. First-aid measures

### **Description of first aid measures**

#### **General information**

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. If unconscious but breathing normally, place in recovery position and seek medical advice.

### After contact with skin

Wash with plenty of water/Soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

# After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately. Do NOT induce vomiting.

#### Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### Indication of any immediate medical attention and special treatment needed



according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 3 of 9

No further relevant information available.

## 5. Fire-fighting measures

### **Extinguishing media**

# Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

## Unsuitable extinguishing media

High power water jet.

### Specific hazards arising from the chemical

No further relevant information available.

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

#### Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

# 7. Handling and storage

# Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide



according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 4 of 9

adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

Not required.

### Further information on storage conditions

Keep container tightly closed.

### 8. Exposure controls/personal protection

### **Control parameters**

### **Exposure limits**

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
75-28-5	Isobutane	800	1900		TWA (8 h)	REL
106-97-8	n-Butane	800	1900		TWA (8 h)	REL
74-98-6	Propane	1000	1800		TWA (8 h)	PEL
		1000	1800		TWA (8 h)	REL

### **Exposure controls**





# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Eye glasses with side protection (EN 166)

### **Hand protection**

Recommended glove articles

NBR (Nitrile rubber) - (> = 0,12 mm), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

## Skin protection

Wear anti-static footwear and clothing

# **Respiratory protection**

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141)., Filter material/medium: AX

# 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: Aerosol
Color: brown
Odor: characteristic
Odour threshold: not determined

Test method

Print date: 02/28/2022



# **Safety Data Sheet**

according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 5 of 9

Changes in the physical state

Melting point/freezing point:

not determined

Boiling point or initial boiling point and

-44 °C

boiling range:

Flash point: < - 20 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

not determined

Lower explosion limits: 0,6 vol. %
Upper explosion limits: 10,9 vol. %
Auto-ignition temperature: > 200 °C

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined
pH-Value: not determined
Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined
Vapor pressure: 8300 hPa

(at 20 °C)

Density (at 20 °C): 0,75 g/cm³ DIN 51757

Relative vapour density: not determined

**Other information** 

Information with regard to physical hazard classes

Sustaining combustion:

No data available

Oxidizing properties Not oxidising.

Other safety characteristics

Solvent separation test:

Solvent content:

Solid content:

Solid content:

Evaporation rate:

not determined

65,3 %

65,3 %

not determined

**Further Information**No information available.

## 10. Stability and reactivity



according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 6 of 9

### Reactivity

No further relevant information available.

#### **Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

#### Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

#### Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

#### Incompatible materials

No information available.

### **Hazardous decomposition products**

Carbon monoxide

# 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components								
	Exposure route	Dose	Species	Source	Method				
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics								
	oral	LD50 >5000 mg/kg	Rat						
	dermal	LD50 >3000 mg/kg	Rat						
	inhalation (4 h) vapour	LC50 5000 mg/l	Rat						

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitizing effects

May cause an allergic skin reaction (calcium sulfonate)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics)

### Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

# **Aspiration hazard**

May be fatal if swallowed and enters airways

### Information on other hazards

# **Endocrine disrupting properties**

Endocrine disrupting potential No information available.



according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 7 of 9

#### **Further information**

There are no data available on the preparation/mixture itself.

## 12. Ecological information

#### **Ecotoxicity**

No further relevant information available.

#### Persistence and degradability

No further relevant information available.

# **Bioaccumulative potential**

No further relevant information available.

### **Mobility in soil**

No further relevant information available.

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Endocrine disrupting potential No information available.

### Other adverse effects

No further relevant information available.

#### **Further information**

No further relevant information available.

## 13. Disposal considerations

# Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

### Contaminated packaging

Remove according to the regulations.

### 14. Transport information

# U.S. DOT 49 CFR 172.101

UN number or ID number: UN 1139

<u>Proper shipping name:</u> Coating solution

Transport hazard class(es):3Packing group:IIIHazard label:3



### Marine transport (IMDG)

UN number or ID number:UN 1950UN proper shipping name:AEROSOLSTransport hazard class(es):2.1

Packing group:
Hazard label: 2.1





according to 29 CFR 1910.1200(g)

**DINITROL ML Spray** 

Revision date: 01/03/2022 Product code: 21708 Page 8 of 9

Marine pollutant: no
Limited quantity: 1000 mL
Excepted quantity: E0
EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 1950

UN proper shipping name: AEROSOLS, FLAMMABLE

Transport hazard class(es):

Packing group:
Hazard label:

2.1

2.1



Limited quantity Passenger: 1 L
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Warning: gas

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

#### Other applicable information

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: SG69 For AEROSOLS with a maximum capacity of 1

litre:

Segregation as for class 9. Stow "separated from" class

1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class

2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class

2.

Category C, Clear of living quarters.

# 15. Regulatory information

## **U.S. Regulations**

### **National Inventory TSCA**

All components of the product are publicly listed or excluded.

# National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9): Fire hazard, Immediate (acute) health hazard



according to 29 CFR 1910.1200(g)

# **DINITROL ML Spray**

Revision date: 01/03/2022 Product code: 21708 Page 9 of 9

Propane (74-98-6): Fire hazard, Sudden release of pressure Butane (106-97-8): Fire hazard, Sudden release of pressure Isobutane (75-28-5): Fire hazard, Sudden release of pressure calcium sulfonate (61789-86-4): Immediate (acute) health hazard

Clean Air Act Section 112(r):

Propane (74-98-6): Threshold quantities = 10,000 lbs. Butane (106-97-8): Threshold quantities = 10,000 lbs. Isobutane (75-28-5): Threshold quantities = 10,000 lbs.

### **State Regulations**

# Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

## 16. Other information

## **Hazardous Materials Information Label (HMIS)**

Health: 0
Flammability: 4
Physical Hazard: 3

### **NFPA Hazard Ratings**

Health: 0
Flammability: 4
Reactivity: 3
Unique Hazard: none



### Changes

Revision date: 03.01.2022

Revision No: 1,1

This data sheet contains changes from the previous version in section(s): 1,2,11,12.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)